

DAF LF 213 rigid RHD HD 8-10 camera OB truck with tender (2015)

Note: Images of Miranda cards and racks are available on request.

Inspection Key

Not Inspected	Yellow
Inspected but not seen	Red
Inspected and seen	Green
Inspected and amended	Blue



Item No.	Manufacturer	Model	Description	Quantity	Inspection Notes	Comments
1.1.1a	DAF	DAF12	DAF 12 tonne chassis cab euro 6 213 HP WB 5.4	1	Green	
1.2.1	C2S	Coachwork	One set dry freight panels pressed sides, roof and front bulk head	1	Yellow	
1.2.2	C2S	Coachwork	Fabricate and fix gavanized main sub frame	1	Yellow	
1.2.3	C2S	Coachwork	Assemble main body including all cappings and beadings	1	Yellow	
1.2.4	C2S	Coachwork	Make and fit 1 off side access doors with anti burst lock in N/S of vehicle	2	Yellow	
1.2.5	C2S	Coachwork	Slide out cassette steps with hand rail	2	Yellow	
1.2.6	C2S	Coachwork	Make and fit 1 off CTP door with anti burst lock's	1	Yellow	
1.2.7	C2S	Coachwork	Make and fit 1 off Rear Maintenance door with anti burst lock's	1	Yellow	
1.2.8	AMK Automotive	Coachwork	Hydraulic stabilisers with dash board alarm	1	Yellow	
1.2.9	C2S	Coachwork	belly lockers with anti bust locks and gas struts	2	Yellow	
1.2.10	C2S	Roof Rails	Aluminium 50mm tie down bar on roof cappings for additional mounting	1	Yellow	
1.2.11	C2S	Side Awning	heavy duty awning to cover side doors	1	Yellow	
1.2.12	PSN	Vehicle External paint	body work paint to match cab manufactures paint. (white)	1	Yellow	
2.1.1	C2S	Coachwork	Full operational racks	9	Yellow	
2.1.2	C2S	Coachwork	production/Engineering desk	2	Yellow	
2.1.3	C2S	Coachwork	Audio desk	1	Yellow	
2.1.4	C2S	Coachwork	Fit dark coloured lightweight carpet to operational area ceiling and walls	3	Yellow	
2.1.5	C2S	Coachwork	Non Slip vinyl to Floor in operational area	3	Yellow	
2.1.6	C2S	Coachwork	Panelled Ceiling Silver & Black	1	Yellow	
2.2.1	C2S	Single Phase 125A Power Distribution materials	Includes power cabinet inlet and all distribution	1	Yellow	
2.2.2	C2S	24vDC Power Distribution materials	Includes LED lighting and supply for equipment	1	Yellow	
2.2.3	Fischer Panda	Air-conditioning System	230v Durasea Roof-Top Air Cooled Air Conditioner with Control Panel	3	Green	
2.2.4	Fischer Panda	Air-conditioning System	Dometic floor mounted AC Unit	1	Green	
2.2.5a	Eaton	5PX300IRT	3KVa UPS with netpack	2	Green	
2.2.5b	Eaton	5PX300IRT	Eaton 5PX 2 200VA Netpack	1	Green	
2.4.1	C2S	Operator Chairs	Standard Chair with arms	8	Green	
2.4.2	C2S	Fire Extinguisher	1ltr Extinguisher	1	Green	
2.4.2	C2S	Fire Extinguisher	1ltr Extinguisher	1	Green	
2.4.2	C2S	Fire Extinguisher	1ltr Extinguisher	1	Green	
2.4.3	C2S	First Aid Kit	Standard 20 Person kit	2	Green	
5.2.8a	C2S	8020 Mount	Custom LS mount	2	Green	
6.1.8	C2S	EVS Frame	Support	2	Green	
6.2.6	C2S	19" LCD Mount	LCD Mount	2	Green	
7.3.3a	C2S	8020 Mount	Custom LS mount	2	Green	
8.2.2	C2S	19" LCD Mount	LCD Mount	1	Green	
7.3.8	WTS	PC Mon Mount	Mount for LCD	1	Green	
4.1.9a	Trilogy	360-81-02	Mentor XL Master/Slave Sync Pulse Generator. Includes Video & Test & Redundant PSU	1	Green	
4.1.13	Trilogy	Tri sync (360-16-01)	Tri-Level Sync Option	1	Green	
4.1.15	Trilogy	360-15-11	GPS Time Reference Board	1	Green	
4.1.16	Trilogy	360-15-03	GPS Antenna & Universal Mount	2	Green	
4.1.17	Trilogy	360-14-00	LTC Timecode	1	Green	
4.3.1a	Sony CEMA	PVM-A170	17" MON	2	Yellow	
4.3.1b	Sony CEMA	MB-P17	Mounting Bracket for PVM-A170.	2	Yellow	
4.3.1c	Osee	RMD4342-HSC	4.3" Size, 4 LCDS, 2RU Height, 16:9 Screen, 480x270 Resolution	2	Yellow	
4.3.1d	Blackmagic Design	BMD-HDLSMTWSCOPEDUO4K	Dual 8" 3 RU SDVHD-SDI/3G-SDI/6G-SDI monitoring with built in scopes for technical waveform monitoring	2	Yellow	
4.3.1e	TEKTRONIX	WFM7200	Waveform Monitor HD Sdi Input	1	Yellow	
4.3.1f	TEKTRONIX	WFM7200 AD	Audio Option	1	Yellow	
4.3.1g	TEKTRONIX	WFM7200 CPS	Composite option	1	Yellow	
4.3.1h	TEKTRONIX	WFM7200 PHY3	Measurement option	1	Yellow	
4.3.1i	TEKTRONIX	WFMIRACK-ON	Dual Rack Cabinet	1	Yellow	
4.3.1k	Blackmagic Design	BMD-HDLAUDMONTRU	Audio Monitor	1	Yellow	
4.3.1l	Sony CEMA	PVM-A170	17" MON	1	Yellow	
4.3.1m	Sony CEMA	MB-P17	Mounting Bracket for PVM-A170.	1	Yellow	
4.2.1	Miranda	DENSITE 3	3 RU Housing frame with (1) PSU (AC-IN) and 1 ethernet controller	5	Blue	Originally 4 on the specification
4.2.1a	Miranda	FR8144	NV8144 8RU Frame 144 x 144 in 1 Frame, w/PS	1	Yellow	
4.2.1b	Miranda	8500H-NV	8500 Hybrid Control card, NV only	1	Yellow	
4.2.1c	Miranda	8500H-XPT-144	8500 144x144 3 Gig/Hybrid Crosspoint	1	Yellow	
4.2.1c	Miranda	8500-HD-IN-COAX	8500 9in HD Coax Input	5	Yellow	
4.2.1c	Miranda	8500H-IP-3G-FS-CX	8500 8in 3Gig Frame Sync Coax Input	1	Yellow	
4.2.1c	Miranda	IO8500H-IP-FS-CX	8500 9IN Coax with Ethernet Rear	1	Yellow	
4.2.1c	Miranda	8500H-IP-3G-TDM-CX	8500 8in 3Gig 1in MADI Coax Input	2	Yellow	
4.2.1c	Miranda	8500H-IP-3G-DEM-CX	8500 8in 3Gig/De-embedding Coax Input	2	Yellow	
4.2.1c	Miranda	8500-HD-OUT-COAX	8500 18out HD Coax Output	4	Yellow	
4.2.1c	Miranda	8500H-OP-3G-DEM/EMB-CX	8500 16out 3Gig/De-embedding/Embedding Coax Output	2	Yellow	

Item No.	Manufacturer	Model	Description	Quantity	Inspection Notes	Comments
4.2.1c	Miranda	8500H-OP-3G-TDM-CX	8500 16out 3Gig 2out MADi Coax Output	1		
4.2.1f	Miranda	PS8100	8000 Series 850 Watt Redundant Power Supply for FR8144	1		
4.2.1g	Miranda	8500H-NV	8500 Hybrid Control card, NV only	1		
4.2.1h	Miranda	8500H-XPT-144	8500 144x144 3 Gig/Hybrid Crosspoint	1		
4.2.1i	Miranda	NV920D	NV9000 1RU controller - NV920 Frame, dual power supplies, two control modules	1		
4.2.1j	Miranda	MCARE-SW	MCare for your Software. Subscription Program with 24/7/365 response, iControl, Kaleido-IP, Vertigo, NVision Router Control, NVision Master Control, ITX and CORE software products	1		
4.2.1k	Miranda	NV9640A	2 RU LCD X-Y control panel	2		
4.2.1l	Miranda	NV9641A	1 RU LCD control panel	3		
4.2.1m	Miranda	NV9605	1RU Multimode paging shallow panel w/3 disp.	5		
4.2.1n	Miranda	NV9606	1 RU Dense button multi-function panel	2		
4.2.2	Miranda	DENSITE 3-PSU-AC	Redundant PSU for DENSITE 3	5		Originally 4 on the specification
4.2.3	Miranda	HDC-1861-3RU	HD monitoring downconverter & DA with optional audio (Including 3RU Adaptor)	2		
4.2.4	Miranda	HDC-1861-OPT-AU	Embedded audio support with analog outputs	2		
4.2.5	Miranda	HDC-1861-3SRP	3RU single Rear Connector panel	2		
4.2.6	Miranda	HDC-1801-3RU	HD monitoring downconverter & DA with optional audio (Including 3RU Adaptor)	4		
4.2.7a	Miranda	HDC-1801-75-3SRP	3RU single Rear Connector panel	4		
4.2.10	Miranda	SDA-1142-3RU	SDI DA with Composite Monitoring Output (Including 3RU Adaptor)	4		
4.2.11	Miranda	SDA-1142-3SRP	Single Rear Connector Panel	4		
4.2.12	Miranda	XVP-1801-3RU	HD/SD Universal Up/Down/Cross Converter (Including 3RU Adaptor)	2		
4.2.13	Miranda	XVP-1801-75-3DRP	75 ohms Double Rear module for Densite3 frame	2		
4.2.14	Miranda	XVP-1801-OPT-AUD16	16 channel on-board audio processing option	2		
4.2.15a	Miranda	AAP-1741-3RU	4 ch Analogue audio processor (Including 3RU Adaptor)	2		
4.2.16b	Miranda	AAP-1741-O-SRP-3RU	4ch analog output, single Rear Connector Panel (including 3RU Adaptor)	2		
4.2.18	Miranda	HDA-1911-3RU	3Gbps/HD/SD DA with EQ and relocking (Including 3RU Adaptor)	9		
4.2.19	Miranda	HDA-191N-3SRP	Single Rear Connector Panel	9		
4.2.22	Miranda	ADA-1023-3RU	Dual (stereo) Analog Audio DA (Including 3RU Adaptor)	12		
4.2.22a	Miranda	ADA-1023-3RU	Dual (stereo) Analog Audio DA (Including 3RU Adaptor)	3		
4.2.23	Miranda	ADA-1023-3SRP	Single Rear Connector Panel	12		
4.2.23a	Miranda	ADA-1023-3SRP	Single Rear Connector Panel	3		
4.2.24a	Miranda	VDA-1002-3RU	Analog Video DA (Including 3RU Adaptor)	8		
4.2.25a	Miranda	VDA-1002-DRP-3RU	Double Rear Connector Panel (Including 3RU Adaptor)	8		
4.2.26	Miranda	XVP-1801-FS-3RU	HD/SD Frame Sync/ARC (Including 3RU Adaptor)	2		
4.2.27	Miranda	XVP-1801-75-3DRP	75 ohms Double Rear module for Densite3 frame	2		
4.2.28	Miranda	XVP-1801-OPT-AUD16	16 channel on-board audio processing option	2		
4.2.29a	Miranda	AAP-1741-3RU	4 ch Analogue audio processor (Including 3RU Adaptor)	1		
4.2.29b	Miranda	AAP-1741-I-SRP-3RU	4 ch Analog In, Single Rear Connector Panel (Including 3RU Adaptor)	1		
4.2.33	Miranda	AAP-1741-3RU	4 ch Analogue audio processor (Including 3RU Adaptor)	1		
4.2.34	Miranda	AAP-1741-I-SRP-3RU	4 ch Analog In, Single Rear Connector Panel (Including 3RU Adaptor)	1		
4.2.35	Miranda	WDA-1001-3RU	Word Clock Distribution Amplifier (Including 3RU Adaptor)	1		
4.2.36	Miranda	WDA-1001-DRP-3RU	Double Rear Connector Panel (Including 3RU Adaptor)	1		
4.2.37	DTL	5AV 2628CEDA	FRONT ADJUSTABLE DA'S	2		
4.2.38	DTL	5AV 2641	1 U FRAMES	1		
4.2.38a	DTL	6B264540	2600 Blank panel (front or rear)	2		
4.2.39	DTL	5AV-2647	BACKPLANES	2		
4.7.1	Miranda	KMV-3911-8X2	Kaleido-Modular HD/SD-SDI 8x2 Multi-Viewer w/optional HD-SDI output	4		
4.7.2	Miranda	KMV-3911-8X2-3DRP	Double Rear Connector Panel	4		
4.7.6	Miranda	DENSITE 3	3 RU Housing frame with (1) PSU (AC-IN) and 1 ethernet controller	1		
4.7.7	Miranda	DENSITE 3-PSU-AC	Redundant PSU for DENSITE 3	2		
4.7.8	Miranda	DENSITE-3-BL-SRP	Blank Frame	6		
4.8.8	TSL	TM1	System Controller	1		
4.8.9	TSL	ESP-R1+	Relay Expansion Unit	1		
4.8.10	TSL	UMD-D8C	Single - Full rack 1U	2		
4.8.11	TSL	UMD-P1	Rack Mount for D8C	2		
5.1.1	Sony	MVS-3000A	Multi Format Switcher Processor	1		
5.1.2	Sony	ICP-3000	Control panel	1		
5.1.3	Sony	ICP-6511	Menu Panel	1		
5.1.4	Sony	MKS-6570	2CH DME board/Sparkle/3D linear transform	1		
5.2.1	Sony	LMD-2110W/HDSDI	21inch Professional LCD Monitor with HD/SD SDI Input Adaptor	8		
5.2.1a	Aten	VC480	HDSDI to HDMI Converter	2		
5.2.3a	Osee	RMD9024-HSC	2 x Rackmount 9" LCD Monitor With HDSDI	5		Originally 4 on the specification
5.2.4	NEWBURY	ECO2-HD-RMK	High Def Changeover	1		
5.2.5	NEWBURY	ECO2-CTL	2 I/P Emerg MTX Ctl Panel	1		
5.2.6	HARRIS	DTD-A19B2	LED Digital Clock, LTC input, 2RU with red 7 segment LED readout, USB setup	1		
5.2.7a	Genelec	8020PCM	Program Loud Speakers	2		
5.2.10a	GENELEC	8010APM	Active Monitor	1		
6.2.1	Sony	LMD-2110W/HDSDI	21inch Professional LCD Monitor with HD/SD SDI Input Adaptor	1		Originally 2 on the specification
6.2.3a	Osee	RMD4342-HSC	4.3" Size, 4 LCDs, 2RU Height, 16.9 Screen, 480x270 Resolution	4		Originally 2 on the specification
6.2.7	LGZ	LGZ-USB	USB HD Recorder (to swap with SDI Bluray from OB)	1		
7.1.1a	Calrec	Brno 36	Audio mixing desk	1		Changed asset
7.1.1c	Snell	P125/36x36A	Pyxis 1U Frame, equipped with: Dual PSU, Single Nucleus Router Controller, 36x36 Stereo Analogue Audio Router With MADi	1		
7.2	Mics					
7.2.2	Sigma	Spot On	Surround woth AES	1		
7.3	Monitoring					
7.3.2a	Genelec	8020PCM	Bi-Amplified Mon Sys 40w/40w black	2		
7.3.4	Osee	RMS8424-HSC	2 x Rackmount 8.4" LCD Monitor With HDSDI	1		
7.3.5	Sony CEMA	PVM-A170	17" MON	1		
7.3.6	Sony CEMA	MB-P17	Mounting Bracket for PVM-A170.	1		
7.3.7	Ikegami	ULE-217	HDTV 21.5" LCD, LED Backlights, with Hard Glass AR Protection Panel	1		
7.3.9	Fostex	6301NB	6301NB Powered Monitor Speaker (Single) 20W amp & 4" full range	2		
7.4.1a	Telex	Zeus III	32 Port Comms Matrix	1		
7.4.1b	Telex	KP12LK B A4F /RC	KP12 Leverkey black 4PIN XLR-HdSt W/ Rear connector option	9		
7.4.1c	Telex	PH-88R	Headset Single Sided A4M (RTS)	3		
7.4.1d	Telex	MCP-90-12	30cm mic for all RTS and Telex panels	9		
7.4.1e	Telex	PS-20	Power supply for 15-20 Stations, 230V ½ 19" 1 RU, w/ UK power cord	1		
7.4.1f	Telex	MCP-2	Rack Mount kit for single ½ 19" RTS main component	1		
7.5.1b	Tait	TB7100	Radio Talkback Base Station AC/DC version [400-470MHz]	2		
4.1.14	Lynx	SPG-1707	HD/SD Sync Pulse Generator with Reference Input	1		
4.3.1j	BDM	3u Tek Drawer	Tektronix Drawer Assembly	1		
4.8.1	NETGEAR	FS726TUK	Netgear 10/100 Fast Ethernet Switch	2		Originally 3 on the specification
4.8.1a	NETGEAR	FS726TUK	Netgear 10/100 Fast Ethernet Switch	1		
4.8.1b	NETGEAR	GS724T	ProSafe 24 Port Gigabit Smartswitch	1		
4.8.2a	DELL	SVR220	Server with RAID for MVP Server and files server use	1		
4.8.2b	DELL	SVR220NONRAID	Server NON RAID for MVP Server and files server use	1		
4.8.4	MicroSoft	RDP Licenses	Open 1 server to 5 RDP connections	1		
4.8.6	DRAYTEK	Vigor 2820n	ADSL / WIFI Router	1		
4.8.7	DRAYTEK	RM1	Rackmount for Draytek	1		
4.8.7b	ATEN UK	CL5708N	8 port Combo(PS/2 & USB) 1U Slideway 19" LCD KVMP Switch, Daisy	1		
4.8.12a	CCL	BR80382	ZOTAC ZBOX CI520 nano Barebone PC Intel Core i3 (4020Y) 1.5GHz	1		

Item No.	Manufacturer	Model	Description	Quantity	Inspection Notes	Comments
4.8.12b	CCL	RAM1710	Kingston ValueRAM 8GB (1x 8GB) DDR3L 1600MHz Non-EC C 204-pin SODIMM Memory M	1		
4.8.12c	CCL	HDD1946	Seagate SpinPoint M8 500GB Hard Drive 2.5 inch (5400rpm) SATA	1		
4.8.12d	CCL	SFT0068	Microsoft Windows 7 Professional 64-bit (with Service Pack 1)	1		
4.8.12e	CCL	CAB3324	HDMI TO VGA Adaptor + Audio/USB	1		
5.2.9	CTP SYSTEMS	PM302	Production Monitoring unit	1		
5.2.11	CTP SYSTEMS	Custom LS CTL	Ceiling speakercontroller for Director PFL, with CTP custom panel	1		
5.2.12	CTP SYSTEMS	Prehear 2040	Production Monitoring unit	1		
6.1.7	C2S	VTR Slide	4u Slide	2		
6.2.4a	CTP SYSTEMS	VT12DE	8 De-Embedded Pairs 2 AES Inputs, 2 Stereo Analogue Inputs TFT PPM Built in Loudspeakers 1RU	2		
6.2.5a	Dell	MON2763	Dell E Series 19Inch LED Monitor	2		
7.3.1	CTP SYSTEMS	SMU10	10 way switch /PPMLS control panel	1		
7.4.2	CTP SYSTEMS	PTB4	Line level Mixer and PTB Mixer	1		
7.4.3	CTP Sytems	MDA1010	2x 10 Channel Mixers, 3x 10 Channel DA all with individual level control per channel	1		
9.1.1	C2S	14 Outlet MDU with loop	Standard Rackmounted power distribution for production desk	18		Originally 17 on the specification
9.1.2	C2S	IEC cable	IEC Cable M-F	238		
9.2.1	C2S	Audio Jackfield BPO 2 x 48	Audio Jackfield BPO 2 x 48	10		
9.2.2	C2S	Audio Cables	Audio Cables	1050		
9.2.4	C2S	Audio Patch Cord	Audio Patch Cord	40		
9.2.5a	C2S	Video Patchfield 2 x 32 BNC	Video Patchfield 2 x 32 BNC	9		
9.2.6	C2S	U links	U links	228		
9.2.7	C2S	Video Cables	Video Cables	576		
9.2.8	C2S	Misc Video Cables	Misc Video Cables	200		
9.2.9	C2S	Video Patch Cord	Video Patch Cord	30		
9.2.10	C2S	Misc Control Cables	Misc Control Cables	250		
9.2.11	C2S	CTP Panel Video 20 way	CTP Panel Video 20 way	2		
9.2.12	C2S	Audio Multi MIL panel	Audio Multi MIL panel	1		
9.2.13	C2S	32 x XLR Panel	32 x XLR Panel	5		Originally 6 on the specification
9.2.14a	C2S	Custom Camera Panel	Panel for 8 Lemo Fibre and 2 Lemo Triax	1		
9.2.15	C2S	Lemo Fibre	CCU to Tailpanel	8		
9.2.17	C2S	Triax Cables	Triax Cables for RF	2		
Additional	Telex	TIF951	Telephone balance unit	1		Added asset
Additional	RTS	RP1000 Series	2U Talk back panel with key pad	1		Added asset
Additional	RTS	KP4016	Key panel with 2 mic's	4		Added asset
Additional	RTS	KP4016	Key panel	3		Added asset

Disclaimer

The Buyer is solely responsible for inspecting and investigating the Goods prior to a sale by auction or private treaty and for satisfying itself on all matters relating to the Goods including as to the description of the Goods and their merchantability, quality, condition and fitness for purpose.

The Agent and its employees, representatives, agents and subcontractors give no representation or warranty as to the description of the Goods or their merchantability, quality, condition or fitness for purpose.

Any illustrations, photographs and other images of Goods contained in Private Sale Details, Auction Sale Details, or otherwise, shall be for identification purposes only and shall not be indicative of the accuracy of the description of the Goods or their merchantability, quality, condition or fitness for purpose.

Any descriptions in Private Sale Details, Auction Sale Details or elsewhere (whether given verbally or in writing) shall be statements of opinion only. All Goods shall be sold subject to any faults, defects and imperfections which may subsist at the time of the sale.